

WEST

Help

Logout

Interrupt

Main Menu

Search Form

Posting Counts

Show S Numbers

Edit S Numbers

Preferences

Search Results -

Term	Documents
INFLIXIMAB.DWPI,EPAB,JPAB,USPT.	9
INFLIXIMABS	0
ETANERCEPT.DWPI,EPAB,JPAB,USPT.	15
ETANERCEPTS	0
((INFLIXIMAB OR ETANERCEPT) AND 1).USPT,JPAB,EPAB,DWPI.	8

Database:

US Patents Full-Text Database

US Pre-Grant Publication Full-Text Database

JPO Abstracts Database

EPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Refine Search:

11 and (infliximab or etanercept)

Clear

Search History

Today's Date: 9/20/2001

WEST

Help

Logout

Interrupt

Main Menu

Search Form

Posting Counts

Show S Numbers

Edit S Numbers

Preferences

Search Results -

Term	Documents
INFLIXIMAB.DWPI,EPAB,JPAB,USPT.	9
INFLIXIMABS	0
ETANERCEPT.DWPI,EPAB,JPAB,USPT.	15
ETANERCEPTS	0
((INFLIXIMAB OR ETANERCEPT) AND 1).USPT,JPAB,EPAB,DWPI.	8

Database:

US Patents Full-Text Database

US Pre-Grant Publication Full-Text Database

JPO Abstracts Database

EPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Refine Search:

11 and (infliximab or etanercept)

Clear

Search History

Today's Date: 9/20/2001

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT,JPAB,EPAB,DWPI	11 and (infliximab or etanercept)	8	<u>L14</u>
USPT,JPAB,EPAB,DWPI	11 same (infliximab or etanercept)	5	<u>L13</u>
USPT,JPAB,EPAB,DWPI	11 adj10 (infliximab or etanercept)	4	<u>L12</u>
USPT,JPAB,EPAB,DWPI	11 adj10 (reye\$2 or encephalitis or meningitis or stroke or epilepsy or neuralgia)	4	<u>L11</u>
USPT,JPAB,EPAB,DWPI	11 adj10 (influenza or viral adj meningitis or polio or herpes)	6	<u>L10</u>
USPT,JPAB,EPAB,DWPI	11 adj10 (HIV or AIDS or HTLV\$) adj5 (treat\$5 or inhibit\$4 or down adj regulat\$4)	2	<u>L9</u>
USPT,JPAB,EPAB,DWPI	11 adj10 (HIV or AIDS or HTLV\$)	59	<u>L8</u>
USPT,JPAB,EPAB,DWPI	11 adj10 (influenza or viral or HIV or encephalitis or epilepsy or HTLV-I or reye\$2 or neuralgia or herpes or reflex adj sympathetic adj dystrophy or polio)	71	<u>L7</u>
USPT,JPAB,EPAB,DWPI	11 adj20 (influenza or viral or HIV or encephalitis or epilepsy or HTLV-I or reye\$2 or neuralgia or herpes or reflex adj sympathetic adj dystrophy or polio)	94	<u>L6</u>
USPT,JPAB,EPAB,DWPI	13 same (infliximab or etanercept)	0	<u>L5</u>
USPT,JPAB,EPAB,DWPI	13 and (infliximab or etanercept)	1	<u>L4</u>
USPT,JPAB,EPAB,DWPI	11 same (influenza or viral or HIV or encephalitis or epilepsy or HTLV-I or reye\$2 or neuralgia or herpes or reflex adj sympathetic adj dystrophy or polio)	348	<u>L3</u>
USPT,JPAB,EPAB,DWPI	11 and (influenza or viral or HIV or encephalitis or epilepsy or HTLV-I or reye\$2 or neuralgia or herpes or reflex adj sympathetic adj dystrophy or polio)	1037	<u>L2</u>
USPT,JPAB,EPAB,DWPI	(TNF or tumor adj necro\$3 adj factor or tumour adj necro\$3 adj factor) adj5 (antagonist or antibody\$3 or block\$4 or inhibit\$4)	2111	<u>L1</u>

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT,JPAB,EPAB,DWPI	11 and (infliximab or etanercept)	8	<u>L14</u>
USPT,JPAB,EPAB,DWPI	11 same (infliximab or etanercept)	5	<u>L13</u>
USPT,JPAB,EPAB,DWPI	11 adj10 (infliximab or etanercept)	4	<u>L12</u>
USPT,JPAB,EPAB,DWPI	11 adj10 (reye\$2 or encephalitis or meningitis or stroke or epilepsy or neuralgia)	4	<u>L11</u>
USPT,JPAB,EPAB,DWPI	11 adj10 (influenza or viral adj meningitis or polio or herpes)	6	<u>L10</u>
USPT,JPAB,EPAB,DWPI	11 adj10 (HIV or AIDS or HTLV\$) adj5 (treat\$5 or inhibit\$4 or down adj regulat\$4)	2	<u>L9</u>
USPT,JPAB,EPAB,DWPI	11 adj10 (HIV or AIDS or HTLV\$)	59	<u>L8</u>
USPT,JPAB,EPAB,DWPI	11 adj10 (influenza or viral or HIV or encephalitis or epilepsy or HTLV-I or reye\$2 or neuralgia or herpes or reflex adj sympathetic adj dystrophy or polio)	71	<u>L7</u>
USPT,JPAB,EPAB,DWPI	11 adj20 (influenza or viral or HIV or encephalitis or epilepsy or HTLV-I or reye\$2 or neuralgia or herpes or reflex adj sympathetic adj dystrophy or polio)	94	<u>L6</u>
USPT,JPAB,EPAB,DWPI	13 same (infliximab or etanercept)	0	<u>L5</u>
USPT,JPAB,EPAB,DWPI	13 and (infliximab or etanercept)	1	<u>L4</u>
USPT,JPAB,EPAB,DWPI	11 same (influenza or viral or HIV or encephalitis or epilepsy or HTLV-I or reye\$2 or neuralgia or herpes or reflex adj sympathetic adj dystrophy or polio)	348	<u>L3</u>
USPT,JPAB,EPAB,DWPI	11 and (influenza or viral or HIV or encephalitis or epilepsy or HTLV-I or reye\$2 or neuralgia or herpes or reflex adj sympathetic adj dystrophy or polio)	1037	<u>L2</u>
USPT,JPAB,EPAB,DWPI	(TNF or tumor adj necro\$3 adj factor or tumour adj necro\$3 adj factor) adj5 (antagonist or antibody\$3 or block\$4 or inhibit\$4)	2111	<u>L1</u>

**WEST**

Generate Collection

L10: Entry 5 of 6

File: DWPI

May 1, 1998

DERWENT-ACC-NO: 1997-145355

DERWENT-WEEK: 200007

COPYRIGHT 2001 DERWENT INFORMATION LTD

TITLE: Use of new and known 1-alkyl-1,4-di:hydro-4-oxo-N-substd  
naphthyridine-3-carboxamide derivs - for treating conditions modulated by  
phosphodiesterase IV or tumour necrosis factor

INVENTOR: BAXTER, A D; BEASLEY, S C ; BUCKLEY, G M ; DYKE, H J ; HAUGHAN, A F ;  
KENDALL, H J ; MANALLACK, D T ; MAXEY, R J ; MONTANA, J G ; RUNCIE, K A ; HAUGHAN,  
F A

PATENT-ASSIGNEE:

ASSIGNEE

CODE

CHIROSCIENCE LTD

CHIRN

DARWIN DISCOVERY LTD

DARWN

PRIORITY-DATA: 1996GB-0011898 (June 7, 1996), 1995GB-0015812 (August 2, 1995),  
1995GB-0023679 (November 20, 1995), 1996GB-0005865 (March 20, 1996)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
MX 9800921 A1	May 1, 1998	N/A	000	A61K031/435
WO 9704775 A1	February 13, 1997	E	033	A61K031/435
AU 9666266 A	February 26, 1997	N/A	000	N/A
ZA 9606600 A	October 29, 1997	N/A	031	A61K000/00
EP 841927 A1	May 20, 1998	E	000	N/A
US 5753666 A	May 19, 1998	N/A	000	A01N043/54
AU 695132 B	August 6, 1998	N/A	000	N/A
JP 11510156 W	September 7, 1999	N/A	037	A61K031/44

DESIGNATED-STATES: AL AM AU AZ BB BG BR BY CA CN CU CZ EE GB GE HU IL IS JP KE KG  
KP KR KZ LK LR LS LT LV MD MG MK MN MW MX NO NZ PL RO RU SD SG SI SK TJ TM TR TT  
UA UG UZ VN AT BE CH DE DK EA ES FI FR GB GR IE IT KE LS LU MC MW NL OA PT SD SE  
SZ UG AT BE CH DE DK ES FI FR GB GR IE IT LI LU NL PT SE

CITED-DOCUMENTS:6.Jnl.Ref; JP 2124871 ; US 3524858 ; US 4621088 ; US 4786644

APPLICATION-DATA:



PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
MX 9800921A1	February 2, 1998	1998MX-0000921	N/A
WO 9704775A1	July 31, 1996	1996WO-GB01866	N/A
AU 9666266A	July 31, 1996	1996AU-0066266	N/A
AU 9666266A		WO 9704775	Based on
ZA 9606600A	August 2, 1996	1996ZA-0006600	N/A
EP 841927A1	July 31, 1996	1996EP-0925909	N/A
EP 841927A1	July 31, 1996	1996WO-GB01866	N/A
EP 841927A1		WO 9704775	Based on
US 5753666A	August 2, 1996	1996US-0691339	N/A
AU 695132B	July 31, 1996	1996AU-0066266	N/A
AU 695132B		AU 9666266	Previous Publ.
AU 695132B		WO 9704775	Based on
JP 11510156W	July 31, 1996	1996WO-GB01866	N/A
JP 11510156W	July 31, 1996	1997JP-0507375	N/A
JP 11510156W		WO 9704775	Based on

INT-CL (IPC): A01N 43/54; A61K 0/00; A61K 31/00; A61K 31/435; A61K 31/44; A61K 31/47; A61K 31/505; C07D 471/00; C07D 471/04

RELATED-ACC-NO: 1997-153912

ABSTRACTED-PUB-NO: US 5753666A  
BASIC-ABSTRACT:

The use of 1-alkyl-4-(thi)oxo-naphthyridine-3-carboxamide derivs. and -pyrido(2,3-d)pyrimidine analogues of formula (I), their salts, solvates and/or hydrates in the mfr. of a medicament for treating disease states modulated by phosphodiesterase IV (PDE IV) or tumour necrosis factor (TNF) inhibition is new. R1 = 1-6C alkyl, 1-6C alkylcycloalkyl, 1-6C alkyl-heterocyclo, 1-6C alkylaryl or 1-6C alkylheteroaryl all opt. substd. by 1 or more T, 1-6C alkyl or SO2NR11R12; T = halo, 1-6C alkoxy, OH, CN, COOH (or its 1-6C alkyl ester or 1-6C alkylamide) or NR9R10; R3 = phenyl, pyridyl, thienyl, furyl, pyrazinyl, pyridazinyl, pyrimidinyl or 3-10C cycloalkyl all opt. fused to a carbocyclic or heterocyclic ring and both rings opt. substd. by T, 1-6C alkyl, 1-6C haloalkyl, SO2NR11R12, aryl, heteroaryl, cycloalkyl or heterocyclo; Y = O or S; X = CR5 or N; Q = CR7 or N; R4-R7 = H, T, or 1-6C alkyl (opt. substd. by T or SO2NR11R12); or two adjacent R4-R7 gps. complete a 5- or 6-membered ring opt. contg. 1 or 2 heteroatoms; R9, R10 = H, 1-6C alkyl, aryl, heteroaryl, COCF3, SO2CF3, cycloalkyl, 1-6C C alkylcarbonyl, aroyl, 1-6C alkoxy carbonyl, arylsulphonyl or 1-6C alkylsulphonyl; or NR9R10 = 5- or 6-membered ring e.g. pyrrolidino, piperidino, morpholino or piperazino; R11, R12 = H, 1-6C alkyl or cycloalkyl; n = 0-3; provided that (1) at least 1 of X and Q = N; and (2) when R3 = substd. cyclohexyl and n = 1, the substituent is not COOH or its ester. Also claimed are cpds. (I) provided that when R3 is attached to (CH2)n at an aromatic atom, n = 1-3.

USE - (I) are useful for treating disease states associated with proteins which mediate cellular activity. (I) are partic. useful for treating disease states associated with a function of PDE IV, eosinophil accumulation or function or TNF (esp. inflammatory or autoimmune disease) such as asthma, chronic bronchitis, atopic dermatitis, urticaria, allergic rhinitis, allergic conjunctivitis, vernal conjunctivitis, inflammation or allergic responses in the eye, eosinophilic granuloma, psoriasis, rheumatoid arthritis, gouty arthritis, arthritic conditions, ulcerative colitis, Crohn's disease, adult respiratory distress syndrome, diabetes insipidus, keratosis, atopic eczema, atopic dermatitis, cerebral senility, multi-infarct dementia, senile dementia, memory impairment associated with Parkinson's disease, depression, cardiac arrest, stroke, intermittent claudication, joint inflammation, rheumatoid spondylitis, osteoarthritis, sepsis, septic shock, endotoxic shock, Gram negative sepsis, toxic shock syndrome, cerebral malaria, chronic pulmonary inflammatory disease, pulmonary sarcoidosis, bone resorption disease, reperfusion injury, graft vs. host reaction, allograft rejection, malaria, myalgia, HIV, AIDS, ARC, cachexia, pyresis, systemic lupus

erythematosus, multiple sclerosis, type 1 diabetes mellitus, Bechet's disease, anaphylactoid purpura nephritis, chronic glomerulonephritis, inflammatory bowel disease, leukaemia or tardive dyskinesia (all claimed).

(I) are also useful as gastro-protectants and agents for treating yeast or fungal infections (claimed) (e.g. fungal meningitis).

(I) can also be used to treat viruses sensitive to TNF inhibition e.g. HIV-1, -2 or -3, cytomegalovirus, influenza, adenovirus, Herpes viruses (e.g. Herpes zoster and Herpes simplex), feline immunodeficiency virus and other animal retroviruses such as equine infectious anaemia, caprine arthritis, visna virus, maedi virus and other lentiviruses.

The excluded cpds. are disclosed in US4621088.

Dose is 0.001-20 mg/kg/day. Admin. is oral, rectal, topical, parenteral or via the respiratory tract.

ABSTRACTED-PUB-NO:

WO 9704775A

EQUIVALENT-ABSTRACTS:

The use of 1-alkyl-4-(thi)oxo-naphthyridine-3-carboxamide derivs. and -pyrido(2,3-d)pyrimidine analogues of formula (I), their salts, solvates and/or hydrates in the mfr. of a medicament for treating disease states modulated by phosphodiesterase IV (PDE IV) or tumour necrosis factor (TNF) inhibition is new. R1 = 1-6C alkyl, 1-6C alkylcycloalkyl, 1-6C alkyl-heterocyclo, 1-6C alkylaryl or 1-6C alkylheteroaryl all opt. substd. by 1 or more T, 1-6C alkyl or SO<sub>2</sub>NR<sub>11</sub>R<sub>12</sub>; T = halo, 1-6C alkoxy, OH, CN, COOH (or its 1-6C alkyl ester or 1-6C alkylamide) or NR<sub>9</sub>R<sub>10</sub>; R3 = phenyl, pyridyl, thienyl, furyl, pyrazinyl, pyridazinyl, pyrimidinyl or 3-10C cycloalkyl all opt. fused to a carbocyclic or heterocyclic ring and both rings opt. substd. by T, 1-6C alkyl, 1-6C haloalkyl, SO<sub>2</sub>NR<sub>11</sub>R<sub>12</sub>, aryl, heteroaryl, cycloalkyl or heterocyclo; Y = O or S; X = CR<sub>5</sub> or N; Q = CR<sub>7</sub> or N; R4-R7 = H, T, or 1-6C alkyl (opt. substd. by T or SO<sub>2</sub>NR<sub>11</sub>R<sub>12</sub>); or two adjacent R4-R7 gps. complete a 5- or 6-membered ring opt. contg. 1 or 2 heteroatoms; R9, R10 = H, 1-6C alkyl, aryl, heteroaryl, COCF<sub>3</sub>, SO<sub>2</sub>CF<sub>3</sub>, cycloalkyl, 1-6C C alkylcarbonyl, aroyl, 1-6C alkoxy carbonyl, arylsulphonyl or 1-6C alkylsulphonyl; or NR<sub>9</sub>R<sub>10</sub> = 5- or 6-membered ring e.g. pyrrolidino, piperidino, morpholino or piperazino; R11, R12 = H, 1-6C alkyl or cycloalkyl; n = 0-3; provided that (1) at least 1 of X and Q = N; and (2) when R3 = substd. cyclohexyl and n = 1, the substituent is not COOH or its ester. Also claimed are cpds. (I) provided that when R3 is attached to (CH<sub>2</sub>)<sub>n</sub> at an aromatic atom, n = 1-3.

USE - (I) are useful for treating disease states associated with proteins which mediate cellular activity. (I) are partic. useful for treating disease states associated with a function of PDE IV, eosinophil accumulation or function or TNF (esp. inflammatory or autoimmune disease) such as asthma, chronic bronchitis, atopic dermatitis, urticaria, allergic rhinitis, allergic conjunctivitis, vernal conjunctivitis, inflammation or allergic responses in the eye, eosinophilic granuloma, psoriasis, rheumatoid arthritis, gouty arthritis, arthritic conditions, ulcerative colitis, Crohn's disease, adult respiratory distress syndrome, diabetes insipidus, keratosis, atopic eczema, atopic dermatitis, cerebral senility, multi-infarct dementia, senile dementia, memory impairment associated with Parkinson's disease, depression, cardiac arrest, stroke, intermittent claudication, joint inflammation, rheumatoid spondylitis, osteoarthritis, sepsis, septic shock, endotoxic shock, Gram negative sepsis, toxic shock syndrome, cerebral malaria, chronic pulmonary inflammatory disease, pulmonary sarcoidosis, bone resorption disease, reperfusion injury, graft vs. host reaction, allograft rejection, malaria, myalgia, HIV, AIDS, ARC, cachexia, pyresis, systemic lupus erythematosus, multiple sclerosis, type 1 diabetes mellitus, Bechet's disease, anaphylactoid purpura nephritis, chronic glomerulonephritis, inflammatory bowel disease, leukaemia or tardive dyskinesia (all claimed).

(I) are also useful as gastro-protectants and agents for treating yeast or fungal infections (claimed) (e.g. fungal meningitis).

(I) can also be used to treat viruses sensitive to TNF inhibition e.g. HIV-1, -2 or -3, cytomegalovirus, influenza, adenovirus, Herpes viruses (e.g. Herpes zoster and Herpes simplex), feline immunodeficiency virus and other animal retroviruses

such as equine infectious anaemia, caprine arthritis, visna virus, maedi virus and other lentiviruses.

The excluded cpds. are disclosed in US4621088.

Dose is 0.001-20 mg/kg/day. Admin. is oral, rectal, topical, parenteral or via the respiratory tract.

TITLE-TERMS: NEW ALKYL DI HYDRO OXO N SUBSTITUTE NAPHTHYRIDINE CARBOXAMIDE  
DERIVATIVE TREAT CONDITION MODULATE PHOSPHODIESTERASE IV TUMOUR NECROSIS FACTOR

ADDL-INDEXING-TERMS:  
PYRROLO PYRIMIDINE

DERWENT-CLASS: B02 C02

CPI-CODES: B06-D02; C06-D02; B06-D06; C06-D06; B14-C03; C14-C03; B14-C09B;  
C14-C09B; B14-G02A; C14-G02A; B14-G02D; C14-G02D; B14-K01; C14-K01; B14-N17C;  
C14-N17C; B14-S04; C14-S04;

CHEMICAL-CODES:

Chemical Indexing M2 \*01\*

Fragmentation Code

C316 D010 D011 D012 D013 D014 D019 D020 D021 D022  
D023 D024 D025 D040 D622 D770 D850 F010 F019 F020  
F021 F029 G001 G002 G003 G010 G011 G012 G013 G019  
G020 G021 G022 G029 G040 G050 G100 G111 G221 G299  
G553 G563 H1 H103 H121 H122 H123 H141 H161 H181  
H2 H201 H401 H402 H403 H404 H441 H442 H443 H444  
H481 H482 H483 H484 H521 H522 H523 H541 H542 H543  
H581 H582 H583 H584 H600 H608 H609 H621 H622 H623  
H641 H642 H643 H681 H682 H683 H689 J0 J011 J012  
J013 J014 J111 J112 J113 J131 J132 J133 J171 J172  
J173 J211 J212 J231 J232 J271 J272 J273 J3 J311  
J5 J521 J592 K353 K399 L142 L143 L145 L199 L910  
L921 L922 L930 L941 L943 L999 M126 M136 M210 M211  
M212 M213 M214 M215 M216 M220 M221 M222 M223 M224  
M225 M226 M231 M232 M233 M240 M272 M273 M281 M282  
M283 M311 M312 M313 M314 M315 M316 M320 M321 M322  
M323 M331 M332 M333 M334 M340 M342 M343 M344 M353  
M372 M373 M391 M392 M393 M412 M511 M512 M520 M521  
M522 M530 M531 M532 M540 M541 M542 M630 M640 M650  
M781 M800 M903 M904 P420 P421 P423 P433 P444 P446  
P522 P616 P738 P816 P820 P922 P924 P943 V813

Ring Index

01605 01681 01683

Markush Compounds

199713-40701-U

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1997-046367